

MATERIAL SAFETY DATA SHEETS

1. CHEMICAL PRODUCT

Adhesive Systems, Inc. 9411 Corsair Road Frankfort, IL 60423 1-800-552-0299 Phone 1-815-464-5650 Fax

EMERGENCY PHONE 1-800-255-3924

Product Name: 71TL

Technical Name: Anaerobic Adhesive

2. HAZARDS IDENTIFICATION

Primary Routes of Entry: Not Available

Symptoms of Exposure: Vapor is irritating to eyes, skin, and nose.

Prolonged and repeated contact may cause allergic reactions in sensitive individuals.

Medical Conditions Aggravated

by Exposure: No applicable information found.

Health Classification: 2

Irritant: Irritating to respiratory, skin irritation, risk of serious damage to eyes

Symbol: Xi-irritant Signal Word: Warning

Other hazards

This product contains a solid compound, which in powder form is classified as very toxic by inhalation. The product is not labeled accordingly as such exposure can be excluded under normal and foreseeable conditions. In the case that the product is used divergently under formation of aerosols, measures have to be observed to exclude inhalational exposure.

3. COMPOSITION AND INFORMATION ON HARMFUL INGREDIENTS

Ingredients	CAS No.	%
Aromatic dimethacrylate	24448-20-2	50-70
Bisphenol A fumarate resin	39382-25-7	10-20
Hydroxy methacrylate	27813-02-1	10-20
Organic peroxide *	80-15-9	1-2
Benzoic sulphimide	81-07-02	1-2

This component is listed as a SARA Section 313 Toxic Chemical.

Ingredients which have exposure limits

Exposure Limits (TWA) ACGIH OSHA OTHE Ingredients (TLV) (PEL)

Organic peroxide None None 1pp(6mg/m3)

Skin(WEEL)

71TL

Anaerobic Adhesive

4. FIRST AID MEASURES

Ingestion: Do not try to induce vomiting. Stay calm. Seek medical attention. Inhalation: Remove to fresh air, if symptoms persist, seek medical attention.

Skin Contact: Flush with water.

Eye Contact: Flush with water for at least 15 minutes. Seek medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: More than 200°F

Extinguishing Agents: Carbon dioxide, foam, dry chemical Special Firefighting

Procedures: Hazardous Products formed

by Fire or Thermal Decomp Irritating organic vapors

Unusual Fire or Explosion Hazards: None

6. ACCIDENTAL RELEASE MEASURES

Eyes: Safety glasses or goggles.

Skin: Neoprene, rubber, or butyl rubber gloves.

Ventilation: Does not apply Respiratory Not available

Steps to be taken in case of spill or leak:

Soak up with an inert absorbent. Store in closed container until

disposal.

Not available

7. HANDLING AND STORAGE

Safe Storage: Store in a cold dark location.

Handling: Avoid prolonged contact with eyes and skin.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Eyes: Safety glasses or goggles.
Skin: Neoprene, rubber, or

butyl rubber gloves. Ventilation:

Respiratory

Does not apply
Not available

71TL

Anaerobic Adhesive

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red Liquid

Odor: Mild

Boiling Point: More than 300°F

pH: Does not apply Solubility in Water: Slight Specific Gravity1.1 at 25°C

Vapor Pressuré: Less than 0,5 mmbar at 25°C

Vapor Density: Not available Evaporation Rate: Not available

10. REACTIVITY AND STABILITY

Stability: Stable

Hazardous Polymerization: Will not occur

Incompatibility: None

Conditions to Avoid: Not available

Hazardous Decomposition Products (non-thermal): None

11. TOXICOLOGICAL INFORMATION

Estimated oral LD50 more than 10000 mg/kg. Estimated dermal LD50 more than 1500 mg/kg.

Carcinogenicity: not available Reproductive toxicity: not available Germ Cell Mutagenicity: not available

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL INFORMATION

Disposal method:

Waste Treatment methods: unavailable Sewage Treatment methods: unavailable

Product/packaging disposal

This material must be disposed in compliance with local, state, and federal regulations.

Waste Codes: unavailable

14. TRANSPORTATION INFORMATION

DOT (Department of Transportation):

Shipping Name: None Hazard Class: None

IATA: None IMO: None Labels: None

71TL

Anaerobic Adhesive

15. REGULATORY INFORMATION

None

16. OTHER INFORMATION

Risk phrases:

R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

Safety phrases:

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 After contact

with skin, wash immediately with plenty of water and soap.

S37/39 Wear suitable gloves and eye/face protection.

S51 Use only in well-ventilated areas.

Additional labeling:

For consumer use only: S2 Keep out of the reach of children

S46 If swallowed, seek medical advice immediately and show this container or label.

Contains

Hydroxypropyl methacrylate,

Maleic acid

HMIS HEALTH 1 FLAMMABILITY 1 REACTIVITY 1
NFPA HEALTH 1 FIRE HAZARD 1 REACTIVITY 1

Revised July 2014

NON-WARRANTY: Information contained herein is based on tests we believe to be reliable and accurate. It is offered in good faith for the benefit of the consumer. Adhesive Systems shall not be liable for any injury, loss, or damage in the use of its chemical products since the conditions of use are beyond our control. In every case we urge and recommend the user conduct tests to determine to their own satisfaction that the product is of acceptable quality and is suitable for their particular purpose under their own operating conditions. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. Because of changing reporting requirements and other variables it is impossible to guarantee the accuracy of the information contained in this document. It is the responsibility of the user to determine proper personal protection based on the actual condition of use and to comply with all Federal, State, and Local laws and regulations.

Engineering Excellence

For technical information and support call 1-800-552-0299 or visit our website at

www.instantca.com

Page 4 of 4

